

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/23/2015 Reviewed on 08/16/2006

1 Identification

Product identifier

Product name: N-Methylaniline

Stock number: A15426

CAS Number: 100-61-8 **EC** number: 202-870-9 Index number: 612-015-00-5

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to the liver, the blood and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

H227 Combustible liquid.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS06 GHS08

Signal word Danger

Hazard statements
H227 Combustible liquid.
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
H373 May cause damage to the liver, the blood and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral,

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P361 Take off immediately all contaminated clothing.
P405 Store locked up.
P5601 Dispersional flattice.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B3 - Combustible liquid D1A - Very toxic material causing immediate and serious toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2 Flammability = 2

Note: Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable

LISA

Product name: N-Methylaniline

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 100-61-8 N-Methylaniline Identification number(s): EC number: 202-870-9 Index number: 612-015-00-5

4 First-aid measures

Description of first aid measures

General information
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Do not induce vomiting; immediately call for medical help.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOX)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

(Contd. on page 3)

Product name: N-Methylaniline (Contd. of page 2) N-Methylaniline ACGIH TLV 0.5 (skin) TGG 2 0.5 Austria MAK Belgium TWA Denmark TWA Deňmark TWA 0.5 (skin) France VME 0.5 (skin) Germany MAK 0.5 (skin) Korea TLV 0.5 (skin) Netherlands MAC-TGG 2 Norway TWA 0.5 Poland TWA 2 mg/m3 United Kingdom TWA 0.5 (skin) USA PEL 2 (skin) Control parameters Components with limit values that require monitoring at the workplace: 100-61-8 N-Methylaniline (100.0%) PEL (USA) Long-term value: 9 mg/m³, 2 ppm REL (USA) Long-term value: 2 mg/m³, 0.5 ppm Skin Long-term value: 2.2 mg/m³, 0.5 ppm Skin; BEI-M TLV (USA) Long-term value: 0.5 ppm Skin EL (Canada) EV (Canada) Long-term value: 2.2 mg/m³, 0.5 ppm Ingredients with biological limit values: 100-61-8 N-Methylaniline (100.0%) BEI (USA) 1.5 % of hemoglobin Medium: blood Time: during or end of shift Parameter: Methemoglobin (background, nonspecific, semi-quantitative) Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use self-contained respiratory protective device in emergency situations. Protection of hands: Impervious gloves Exposure controls Impervious gloves Check protection of names. Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Safety glasses Body protection: Protective work clothing. 9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liquid Pale yellow Not determined Not determined Color: Odor: Odor threshold: pH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Not determined 195-197 °C (383-387 °F) Not determined Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: 86 °C (187 °F) Not determinéd. Not determined Not determined Auto igniting: Not determined. Danger of explosion: Explosion limits: Lower: Product does not present an explosion hazard. Not determined Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Not determined Not determined 0.9891 g/cm³ (8.254 lbs/gal) Not determined Not determined. Not determined. Water: Not miscible or of Partition coefficient (n-octanol/water): Not determined. Not miscible or difficult to mix Viscosity: dynamic: kinematic:

Not determined. Not determined

(Contd. on page 4)

Product name: N-Methylaniline

Other information

(Contd. of page 3)

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents

Hazardous decomposition products:

Carbon monoxide and carbon dioxide Nitrogen oxides

11 Toxicological information

Information on toxicological effects

Intermation on toxicological effects
Acute toxicity:
Toxic in contact with skin.
Toxic if inhaled.
Toxic if swallowed.
Danger through skin absorption.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Irritant to skin and mucous membranes.
Exprintipation or corrosion: Irritant to skin and mucous membranes.

Skin irritation or corrosion: Irritant io skin and mucous membranes.

Eye irritation or corrosion: Irritating effect.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure:
May cause damage to the liver, the blood and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Other information (about experimental toxicology): Mutagenic effects have been observed on tests with laboratory animals.

Subacute to chronic toxicity:
The Registry of Toxic Effects of Chemical Substances (RTECS) reports the following effects in laboratory animals:

Behavioral - somnolence (general depressed activity).

Behavioral - convulsions or effect on seizure threshold.

Behavioral - muscle contraction or spasticity.

Liver - liver function tests impaired.

Blood - methemoglobinemia-carboxyhemoglobin.

Lungs, Thorax, or Respiration - respiratory depression

Lungs, Thorax, or Respiration - dyspnea.

Lungs, Thorax or Respiration - dyspnea.

Lungs, Thorax or Respiration - dyspnea.

Lungs, Thorax or Respiration - flaccid paralysis without anesthesia.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: Very toxic for aquatic organisms
Additional ecological information:
Geograf notes:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Very toxic for aquatic organisms

Results of PBT and vPvB assessment

RBT. Net applies to the process of the process

PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA

UN2294

UN proper shipping name DOT

N-Methylaniline N-METHYLANILINE IMDG, IATA

Transport hazard class(es)

DOT



Class 6.1 Toxic substances.

(Contd. on page 5)

Label Class 6.1 (T1) Toxic substances Label IMDG, IATA Class 6.1 Toxic substances Label 6.1 Class 6.1 Toxic substances Class 6.1 Toxic substances Label 6.1 Packing group DOT, IMDG, IATA III Environmental hazards: Environmentally hazardous substance, liquid Special precautions for user Warning: Toxic substances Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN2294, N-Methylaniline, 6.1, III	Product name: N-Methylaniline	
Class Label IMDG, IATA Class 6.1 Toxic substances		(Contd. of page 4,
Label 6.1 Packing group DOT, IMDG, IATA III Environmental hazards: Environmentally hazardous substance, liquid Special precautions for user Warning: Toxic substances Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No	Class Label	6.1 (T1) Toxic substances
Label 6.1 Packing group DOT, IMDG, IATA III Environmental hazards: Environmentally hazardous substance, liquid Special precautions for user Warning: Toxic substances Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No		
Environmental hazards: Environmentally hazardous substance, liquid Special precautions for user Warning: Toxic substances Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No		
Special precautions for user Warning: Toxic substances Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No	Packing group DOT, IMDG, IATA	III
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No	Environmental hazards:	Environmentally hazardous substance, liquid
Transport/Additional information: DOT Marine Pollutant (DOT): No	Special precautions for user	Warning: Toxic substances
DOT No No	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Marine Pollutant (DOT): No	Transport/Additional information:	
UN "Model Regulation": UN2294, N-Methylaniline, 6.1, III		No
	UN "Model Regulation":	UN2294, N-Methylaniline, 6.1, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS06 GHS08

Signal word Danger Hazard statements

H227 Combustible liquid. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

May cause damage to the liver, the blood and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative. H373

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P361 Take off immediately all contaminated clothing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the us Department Issuing SDS: Global Marketing Department Date of preparation / last revision 11/23/2015 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement conceming the International Carriage of Dangerous Goods by Road) IMDG: International Martime Code for Dangerous Goods by Road) IMDG: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Information System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PV-05: very Persistent and very Bioaccumulative VP-05: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) NTP: National Toxicology Program (USA)

MARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)

USA