Printing date 01.07.2013 Revision: 11.11.2008

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

2-Vinylpyridine A14056, L05415 100-69-6

Trade name Stock number: CAS Number:

EC number: 202-879-8

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Sign Scientific research and developr SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG A Johnson Matthey Company Zeppelinstr. 7b Zeppelinstr. 7b 76185 Karlsruhe / Germany Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300 Email: tech@alfa.com

Informing department:

www.alfa.com
www.alfa.com
product safety Tel + +049 (0) 7275 988687-0
Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number)
Poison Information Center Mainz
www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240 1.4 Emergency telephone number:

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS06 skull and crossbones

Acute Tox. 1 H330 Fatal if inhaled.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

💹 T; Toxic

R23/25: Toxic by inhalation and if swallowed.

C; Corrosive

R34: Causes burns.

Xn; Harmful

R21: Harmful in contact with skin.

Flammable

Information concerning particular hazards

for human and environment: Other hazards that do not result in

classification

Not applicable

No information known.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms Signal word Hazard statements

The substance is classified and labelled according to the CLP regulation. GHS02, GHS05, GHS06
Danger
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H330 Fatal if inhaled.

Precautionary statements

H314 Causes severe skin burns and eye damage.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Specific treatment is urgent (see on this label).

P320 P405 P501

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment PBT:

vPvB:

Not applicable. Not applicable.

SECTION 3: Composition/information on ingredients

3.1 Substances

CAS# Designation: Identification number(s):

100-69-6 2-Vinylpyridine

EC number: 202-879-8

SECTION 4: First aid measures

4.1 Description of first aid measures General information

Instantly remove any clothing soiled by the product.
Remove breathing apparatus only after soiled clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms After inhalation

persist. Seek immediate medical advice.

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.07.2013 Revision: 11.11.2008

Trade name 2-Vinylpyridine

After skin contact Instantly wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact After swallowing 4.2 Most important symptoms and effects,

both acute and delayed
4.3 Indication of any immediate medical attention and special treatment needed

Rinse opened eye for several minutes under running water. Then consult doctor. Do not induce vomiting; instantly call for medical help.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents

Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling

exposed containers.

5.2 Special hazards arising from the

substance or mixture

No further relevant information available

No further relevant information available

Danger of containers bursting upon heating. If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)

5.3 Advice for firefighters Protective equipment:

Wear self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation
Keep away from ignition sources
Do not allow material to be released to the environment without proper governmental permits. 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.

6.3 Methods and material for containment

and cleaning up:

Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
Keep away from ignition sources.
See Section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

Prevention of secondary hazards:

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Open and handle container with care.

Information about protection against

explosions and fires:

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and containers:

Information about storage in one common storage facility:

Store away from oxidizing agents. Store in the dark.

Protect from heat.

Further information about storage

conditions:

No special requirements.

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from the effects of light.
Store in a locked cabinet or with access restricted to technical experts or their assistants.
No further relevant information available.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

Additional information about design of

technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters Components with critical values that require monitoring at the workplace: Additional information:

Not required. No data

8.2 Exposure controls

Personal protective equipment General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Store protective clothing separately. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Use self-contained respiratory protective device in emergency situations. Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Impervious gloves Not determined Tightly sealed safety glasses.

Material of gloves

Breathing equipment: Protection of hands:

Penetration time of glove material

Tightly sealed safety glasses. Full face protection Eye protection: **Body protection:** Protective work clothing.

DE/E

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.07.2013 Revision: 11.11.2008

Trade name 2-Vinylpyridine

(Contd. of page 2)

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties General Information Appearance: Form: Liauid

Light brown Pungent Not determined. Colour Smell: Odour threshold:

pH-value (10 g/l) at 20 °C:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: -50 °C 159 °C Not determined Flash point: 47 °C

Inflammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Self-inflammability: Not determined. 440 °C Not determined Not determined. Critical values for explosion: 1,3 Vol % Lower: Upper:

10,7 Vol % 2,5 hPa 0,974 g/cm³ Not determined. Steam pressure at 20 °C: Density at 20 °C Relative density Vapour density Not determined. Evaporation rate
Solubility in / Miscibility with
Water at 20 °C: Not determined.

27 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic at 20 °C: 1,4-1,6 mPas

kinematic: 9.2 Other information Not determined. No further relevant information available

SECTION 10: Stability and reactivity

10.1 Reactivity 10.2 Chemical stability

Thermal decomposition / conditions to be

avoided:

10.3 Possibility of hazardous reactions 10.5 Incompatible materials:

Depletion of inhibitor.
Danger of polymerisation
Oxidizing agents

No information known.

Heat
Light
Ultraviolet radiation
Free radical initiators

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)
Unless inhibited, the product can polymerize resulting in a temperature and pressure increase that may rupture Additional information:

Stable under recommended storage conditions.

Danger of containers bursting upon heating.

the container.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Harmful in contact with skin. Danger by skin resorption. Fatal if inhaled.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

esophagus and stomach.

LD/LC50 values that are relevant for classification:

LD50 420 mg/kg (mouse) Inhalative LC50/4H 0,46 mg/m3/4H (mouse)

Skin irritation or corrosion: Causes severe skin burns. Irritant effect. Eye irritation or corrosion:

Sensitization:

Germ cell mutagenicity: Carcinogenicity:

Causes serious eye damage.
No sensitizing effect known.
No effects known.
No effects known.
No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA

or ACGIH. No effects known. Reproductive toxicity:

Specific target organ system toxicity -No effects known.

repeated exposure: Specific target organ system toxicity - single No effects known.

piration hazard: No effects known

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: 12.2 Persistence and degradability No further relevant information available No further relevant information available. 12.3 Bioaccumulative potential 12.4 Mobility in soil Additional ecological information: No further relevant information available. No further relevant information available.

General notes:

Do not allow material to be released to the environment without proper governmental permits. Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment PBT:

Not applicable.

vPvB: 12.6 Other adverse effects Not applicable. No further relevant information available Printing date 01.07.2013 Revision: 11.11.2008

Trade name 2-Vinylpyridine

(Contd. of page 3)

SECTION 13: Disposal considerations

13.1 Waste treatment methods Recommendation

Hand over to disposers of hazardous waste.

Must be specially treated under adherence to official regulations. Consult state, local or national regulations for proper disposal.

6.1 (TFC) Toxic substances.

6.1 Toxic substances.

6.1+3+8

Alkalis

Not applicable.

Uncleaned packagings: Recommendation:

Disposal must be made according to official regulations.

SECTION	14:	Transport	ini	formation	

UN-Number ADR, IMDG, IATA UN3073

14.2 UN proper shipping name

3073 VINYLPYRIDINES, STABILIZED VINYLPYRIDINES, STABILIZED ADR IMDG, IATA

14.3 Transport hazard class(es)

ADR



Label IMDG, IATA



Class Label

6.1 + 3 + 8

Packing group ADR, IMDG, IATA П

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Kemler Number: Warning: Toxic substances.

Segregation groups 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC

Transport/Additional information: Excepted quantities (EQ): Limited quantities (LQ) F4

100 ml Transport category
Tunnel restriction code D/E

UN "Model Regulation": UN3073, VINYLPYRIDINES, STABILIZED, 6.1 (3+8), II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Australian Inventory of Chemical Substances

Substances

Substance is listed.

Standard for the Uniform Scheduling of

Drugs and Poisons

National regulations Information about limitation of use:

Substance is not listed.

Employment restrictions concerning young persons must be observed. For use only by technically qualified individuals.

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Water hazard class:
Other regulations, limitations and prohibitive regulations
ELINCS (European List of Notified Chemical

Substances) Substances of very high concern (SVHC) according to REACH, Article 57 REACH - Pre-registered substances

15.2 Chemical safety assessment:

Substance is not listed.

Substance is not listed. Substance is listed.

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet:
Abbreviations and acronyms:

Health, Safety and Environmental Department.

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Segulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO: TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Hamonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

DE/E