



Page 1/5 Printing date 04/05/2017 Revision date 04/04/2017 Version 1

1 Identification

Product identifier

Product name: Selenium(I) chloride

Stock number: 40239 **CAS Number:** 10025-68-0

EC number: 233-037-8

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

Thermo Fisher Scientific Cl 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com Information Department:

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage. Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS05 GHS06 GHS08

Signal word Danger

Hazard statements H301+H331 Toxic if swallowed or if inhaled.

H314 H373

Causes severe skin burns and eye damage.

May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral,

Inhalation.

Precautionary statements

WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects

E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3
Flammability = 0
Physical Hazard = 2

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

Product name: Selenium(I) chloride

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances

Chemical characterization: Sui CAS# Description: 10025-68-0 Selenium(I) chloride Concentration: ≤100% Identification number(s): EC number: 233-037-8

4 First-aid measures

Description of first aid measures

General information

General Information
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Do not induce vomiting; immediately call for medical help.

Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.
Toxic if inhaled.

Toxic if swallowed.

Toxic if swallowed.

May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling exposed containers.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Hydrogen chloride (HCl)
Selenium dioxide (SeO2)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Ensure adequate ventilation:
Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.

Provention of secondary hazards: No special measures required.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1: Substance is not listed.

PAC-2: Substance is not listed.

PAC-3: Substance is not listed.

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool. dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.

Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:
Store away from water/moisture.
Store away from strong bases.
Store away from oxidizing agents.
Further information about storage conditions:
Store under dry inert gas.
This product is moisture sensitive.
Keen container tightly sealed

This product is moisture sensitive.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.
Specific end use(s) No further relevant information available.

USA

(Contd. on page 3)

Product name: Selenium(I) chloride

(Contd. of page 2)

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information: No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Impervious gloves

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

The selection of suitable gloves not only depends on the mate Eye protection:
Tightly sealed goggles
Full face protection
Safety glasses with side shields / NIOSH (US) or EN 166(EU)

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Liquid

Odor: Odor threshold: Not determined.

pH-value:

Not determined.

Change in condition
Melting point/Melting range: -85 °C (-121 °F) 127 °C (261 °F) (dec) Not determined

Boiling point/Boiling range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature: Not determined. Not determined Decomposition temperature: Auto igniting: Not determined

Not determined. Not determined.

Danger of explosion: Explosion limits: Lower:

Not determined

Not determined

Not determined 2.77 g/cm³ (23.116 lbs/gal) Not determined.

Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density

Not determined

Evaporation rate Solubility in / Miscibility with

Not determined.

Water:

Not determined

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Not determined

dynamic: kinematic:

Not determined.

Other information

No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Water/moisture

Water/moisture

Bases

Dases Oxidizing agents **Hazardous decomposition products:** Hydrogen chloride (HCl) Selenium dioxide (SeO2)

11 Toxicological information

Information on toxicological effects

Acute toxicity:
Toxic if inhaled.
Toxic if swallowed.
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known.

(Contd. on page 4)

Product name: Selenium(I) chloride

(Contd. of page 3)

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure:
May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxical effects:

Remark: Very toxic for aquatic organisms
Additional ecological information:

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Very toxic for aquatic organisms
Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

1	4	7	ra	ns	p	or	ť	in	fo	rı	n	ai	ti	0	n

	Number , IMDG, IATA	UN2922
ADF	proper shipping name G, IATA	Corrosive liquids, toxic, n.o.s. (Selenium(I) chloride) 2922 Corrosive liquids, toxic, n.o.s. (Selenium(I) chloride) CORROSIVE LIQUID, TOXIC, N.O.S. (Selenium(I) chloride)

8. 6.1

Transport hazard class(es)

DOT

























Special precautions for user EMS Number:

Stowage Category Stowage Code

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information:

DOT

Quantity limitations

Not applicable.

8 Corrosive substances

8 (CT1) Corrosive substances 8+6.1

8 Corrosive substances

8 Corrosive substances

Warning: Corrosive substances F-A,S-B B

SW2 Clear of living quarters.

On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L

(Contd. on page 5)

Product name: Selenium(I) chloride					
	(Contd. of page 4)				
Marine Pollutant (DOT):	No				
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml				
UN "Model Regulation":	UN 2922 CORROSIVE LIQUIDS, TOXIC, N.O.S. (SELENIUM(I) CHLORIDE), 8 (6.1), II				

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS05 GHS06 GHS08

Signal word Danger Hazard statements H301+H331 Toxic if swallowed or if inhaled. H314 Causes severe skin burns and eye damage.

May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.

Precautionary statements

Do not breathe dusts or mists.

P260 Do not breathe dusts or mists.

Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/insternational regulations.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

10025-68-0 Selenium(I) chloride

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement conceming the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport association
IATA: International Air International Ai

USA