according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

# ROTH

#### Lanthanum(III) chloride heptahydrate ≥ 99,9%, crystalline

article number: **3979** date of compilation: 2018-06-14 Version: **1.0 en** 

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance Lanthanum(III) chloride heptahydrate

Article number 3979

Registration number (REACH) 01-2119452063-49-xxxx

EC number 233-237-5 CAS number 10025-84-0

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical

laboratory and analytical use

# 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:** +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment

: sicherheit@carlroth.de

sheet

1.4

Emergency telephone number

e-mail (competent person)

Emergency information service Poison Centre Munich: +49/(0)89 19240

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

# Classification acc. to GHS

Section	Hazard class	Hazard class and cat- egory	Hazard state- ment
2.16	substance or mixture corrosive to metals	(Met. Corr. 1)	H290
3.3	serious eye damage/eye irritation	(Eye Dam. 1)	H318
3.45	skin sensitisation	(Skin Sens. 1)	H317
4.1C	hazardous to the aquatic environment - chronic hazard	(Aquatic Chronic 2)	H411

# 2.2 Label elements

United Kingdom (en) Page 1 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Lanthanum(III) chloride heptahydrate ≥ 99,9%, crystalline

article number: 3979

# Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

#### **Pictograms**







#### **Hazard statements**

H290 May be corrosive to metals

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H411 Toxic to aquatic life with long lasting effects

# **Precautionary statements**

#### **Precautionary statements - prevention**

P273 Avoid release to the environment. P280 Wear protective gloves/eye protection.

#### **Precautionary statements - response**

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

## Symbol(s)







H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

P280 Wear protective gloves/eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

#### 2.3 Other hazards

There is no additional information.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Lanthanum(III) chloride heptahydrate

Registration number (REACH) 01-2119452063-49-xxxx

EC number 233-237-5 CAS number 10025-84-0 Molecular formula LaCl $_3$  \* 7H $_2$ O

United Kingdom (en) Page 2 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Lanthanum(III) chloride heptahydrate ≥ 99,9%, crystalline

article number: 3979

Molar mass 371,4 g/<sub>mol</sub>

# **SECTION 4: First aid measures**

## 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

## Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

## **Following skin contact**

Rinse skin with water/shower. In case of skin reactions, consult a physician.

# Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

# **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a doctor if you feel unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions, Corrosivity, Risk of serious damage to eyes

# 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media



#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

# Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: hydrogen chloride (HCl)

#### 5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Do not allow firefighting water to enter drains or water courses.

United Kingdom (en) Page 3 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Lanthanum(III) chloride heptahydrate ≥ 99,9%, crystalline

article number: 3979

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Do not breathe dust. Avoid contact with skin and eyes. Provide adequate ventilation.

#### **6.2** Environmental precautions

Keep away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Take up mechanically. Control of dust.

## Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid dust formation. Provide adequate ventilation.

#### • Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

#### Advice on general occupational hygiene

Wash hands before breaks and after work.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in the original container. Keep container tightly closed. Store in a dry place.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

# **Consideration of other advice**

#### • Ventilation requirements

Use local and general ventilation.

# • Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

#### 7.3 Specific end use(s)

No information available.

United Kingdom (en) Page 4 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Lanthanum(III) chloride heptahydrate ≥ 99,9%, crystalline

article number: 3979

# SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun- try	Name of agent	CAS No	Nota- tion	Identifier	TWA [mg/m³]	STEL [mg/m³]	Source
GB	dust		i	WEL	10		EH40/2005
GB	dust		r	WEL	4		EH40/2005

**Notation** 

Inhalable fraction

Respirable fraction
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-STEL

minute period (unless otherwise specified)

**TWA** Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

#### Relevant DNELs/DMELs/PNECs and other threshold levels

#### human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	108,4 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	123 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

# environmental values

Endpoint	Threshold level	Environmental compartment
PNEC	0,018 <sup>mg</sup> / <sub>l</sub>	freshwater
PNEC	0,002 <sup>mg</sup> / <sub>l</sub>	marine water
PNEC	12,5 <sup>mg</sup> / <sub>l</sub>	sewage treatment plant (STP)

#### 8.2 **Exposure controls**

#### Individual protection measures (personal protective equipment)

# Eye/face protection





Use safety goggle with side protection.

# Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

United Kingdom (en) Page 5 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Lanthanum(III) chloride heptahydrate ≥ 99,9%, crystalline

article number: 3979

# type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

# • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

# **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

## **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state solid (crystalline)

Colour white

Odour odourless

Odour threshold No data available

Other physical and chemical parameters

pH (value)  $\sim 5 (100 \, {}^{9}/_{l}, 25 \, {}^{\circ}\text{C})$ 

Melting point/freezing point 858 – 860 °C anhydrous

Initial boiling point and boiling range This information is not available.

Flash point not applicable

Evaporation rate no data available

Flammability (solid, gas)

These information are not available

**Explosive limits** 

lower explosion limit (LEL)
 upper explosion limit (UEL)
 this information is not available
 Explosion limits of dust clouds
 these information are not available
 Vapour pressure
 This information is not available.

Density 2,23 g/<sub>cm³</sub> at 20 °C

Vapour density This information is not available.

United Kingdom (en) Page 6 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Lanthanum(III) chloride heptahydrate ≥ 99,9%, crystalline

article number: 3979

Relative density Information on this property is not available.

Solubility(ies)

Water solubility >850 g/l at 20 °C

Partition coefficient

n-octanol/water (log KOW)

This information is not available.

Auto-ignition temperature Information on this property is not available.

Decomposition temperature no data available

Viscosity not relevant (solid matter)

Explosive properties Shall not be classified as explosive

Oxidising properties none

9.2 Other information

There is no additional information.

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Substance or mixture corrosive to metals.

# 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

# 10.3 Possibility of hazardous reactions

Violent reaction with: Strong oxidiser, Strong acid

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

different metals

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Source
oral	LD50	4.184 <sup>mg</sup> / <sub>kg</sub>	rat	TOXNET

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Causes serious eye damage.

United Kingdom (en) Page 7 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Lanthanum(III) chloride heptahydrate ≥ 99,9%, crystalline

article number: 3979

#### Respiratory or skin sensitisation

May cause an allergic skin reaction. May cause sensitization by skin contact.

# Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

# • Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# • Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

# Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

data are not available

#### • If in eyes

Causes serious eye damage, risk of blindness

#### • If inhaled

data are not available

#### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation, a skin sensitiser

#### Other information

None

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

# **Aquatic toxicity (acute)**

Endpoint	Value	Species	Source	Exposure time
EC50	1.180 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	16 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h

#### **Aquatic toxicity (chronic)**

May cause long-term adverse effects in the aquatic environment.

Endpoint	Value	Species	Source	Exposure time
LC50	>5 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	21 d
EC50	0,552 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	21 d
NOEC	0,26 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	21 d
LOEC	0,23 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	21 d

United Kingdom (en) Page 8 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Lanthanum(III) chloride heptahydrate ≥ 99,9%, crystalline

article number: 3979

Endpoint	Value	Species	Source	Exposure time
growth (EbCx) 20%	210 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA	3 h

# 12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

## Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

# Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

United Kingdom (en) Page 9 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## **Lanthanum(III) chloride heptahydrate** ≥ 99,9%, crystalline

article number: 3979

# **SECTION 14: Transport information**

14.1 UN number 3077

14.2 UN proper shipping name **ENVIRONMENTALLY HAZARDOUS SUBSTANCE,** 

SOLID, N.O.S.

Hazardous ingredients Lanthanum(III) chloride heptahydrate

**14.3** Transport hazard class(es)



Class 9 (miscellaneous dangerous substances and articles) (envir-

onmentally hazardous)

**14.4** Packing group III (substance presenting low danger)

14.5 **Environmental hazards** hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

**UN** number 3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, Proper shipping name

SOLID, N.O.S.

Particulars in the transport document UN3077, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, SOLID, N.O.S., (Lanthanum(III) chloride heptahydrate), 9, III, (-)

Class 9

Classification code M7 Packing group III

Danger label(s) 9 + "fish and tree"



**Environmental hazards** yes (hazardous to the aquatic environment)

Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ) E1 Limited quantities (LQ) 5 kg

Transport category (TC) 3

Tunnel restriction code (TRC)

Hazard identification No 90

2Z **Emergency Action Code** 

United Kingdom (en) Page 10 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Lanthanum(III) chloride heptahydrate ≥ 99,9%, crystalline

article number: 3979

#### • International Maritime Dangerous Goods Code (IMDG)

UN number 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

Particulars in the shipper's declaration UN3077, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, SOLID, N.O.S., (Lanthanum(III) chloride

heptahydrate), 9, III

Class 9

Marine pollutant yes (P) (hazardous to the aquatic environment)

Packing group III

Danger label(s) 9 + "fish and tree"



Special provisions (SP) 274, 335, 966, 967, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
EmS F-A, S-F

Stowage category A

#### • International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 3077

Proper shipping name Environmentally hazardous substance, solid,

n.o.s.

Particulars in the shipper's declaration UN3077, Environmentally hazardous substance,

solid, n.o.s., (Lanthanum(III) chloride heptahy-

drate), 9, III

Class 9

Environmental hazards yes (hazardous to the aquatic environment)

Packing group III

Danger label(s) 9 + "fish and tree"



Special provisions (SP) A97, A158, A179, A197

Excepted quantities (EQ) E1

Limited quantities (LQ) 30 kg

United Kingdom (en) Page 11 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Lanthanum(III) chloride heptahydrate ≥ 99,9%, crystalline

article number: 3979

# **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)
  - Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) Not listed.
  - Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS) Not listed.
  - Regulation 850/2004/EC on persistent organic pollutants (POP) Not listed.
  - Restrictions according to REACH, Annex XVII

Name of substance	CAS No	Wt%	Type of registration	No
Lanthanum(III) chloride heptahydrate		100	1907/2006/EC annex XVII	3

List of substances subject to authorisation (REACH, Annex XIV)

not listed

#### Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity plication of lower quiren		Notes
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200	500	57)

## Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

#### **National inventories**

Substance is listed in the following national inventories:

United Kingdom (en) Page 12 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Lanthanum(III) chloride heptahydrate ≥ 99,9%, crystalline

article number: 3979

Country	National inventories	Status
AU	AICS	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed

Legend

AICS ECSI

Australian Inventory of Chemical Substances EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China **IECSC** 

NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

# 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

# Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)	
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
CMR	Carcinogenic, Mutagenic or toxic for Reproduction	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DMEL	Derived Minimal Effect Level	
DNEL	Derived No-Effect Level	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")	

United Kingdom (en) Page 13 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## Lanthanum(III) chloride heptahydrate ≥ 99,9%, crystalline

article number: 3979

Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
TWA	time-weighted average
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

# Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)
  Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

# List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H290	may be corrosive to metals
H317	may cause an allergic skin reaction
H318	causes serious eye damage
H411	toxic to aquatic life with long lasting effects

# Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 14 / 14