

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 02/05/2010

1 Identification

Product identifier

Product name: Selenium (IV) chloride

Stock number: 13096

CAS Number: 10026-03-6 **EC** number: 233-053-5 Index number: 034-002-00-8

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS06 GHS08

Signal word Danger

Hazard statements
H301+H331 Toxic if swallowed or if inhaled.
H373 May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral,

Innalative.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.


P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...


P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects
D2B - Toxic material causing other toxic effects





Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3
Flammability = 0
Physical Hazard = 2

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 10026-03-6 Selenium (IV) chloride Identification number(s): EC number: 233-053-5

(Contd. on page 2)

Product name: Selenium (IV) chloride

(Contd. of page 1) Index number: 034-002-00-8

4 First-aid measures

Description of first aid measures

General information

General Information
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After evaluate medical advice.
After evaluate medical advice.
After evaluate medical advice.
After swallowing Do not induce vomiting; immediately call for medical help.
Information for doctor
Most important symptoms and effects, both acute and delayed.

Most important symptoms and effects, both acute and delayed Causes severe skin burns.
Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Hydrogen chloride (HCI)
Advice for firefighters

Protective equipment:Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Recautions for safe nandling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.

Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: No information known.

Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

(Contd. on page 3)

Product name: Selenium (IV) chloride (Contd. of page 2) Selenium and selenium compounds (as Se) mg/m3 ACGIH TLV Austria MAK Belgium TWA Denmark TWA Finland TWA 0.2 0.1 0.2 0.1 0.1; 0.3-STEL J.1; 0.3 0.1 0.1-STEL 0.1 0.1 0.2 TG Germany IVIII Hungary U. 1 Ireland TLV 0.1 Japan OEL 0.1 Korea TLV 0.2 Netherlands MAC-TGG 0.1 Poland TWA 0.1; 0.3-STEL NGV 0.1 0.1 United Kingdom TWA USA PEL 0.2 10026-03-6 Selenium (IV) chloride (100.0%) Long-term value: 0.2 mg/m³ as Se PEL (USA) REL (USA) Long-term value: 0.2 mg/m³ as Se Long-term value: 0.2 mg/m³ as Se TLV (USA) EL (Canada) Long-term value: 0.1 mg/m³ as Se Additional information: No data Exposure controls Personal protective equipment Personal protective and hygienic measures General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use self-contained respiratory protective device in emergency situations. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Tightly sealed goggles Full face protection_ Body protection: Protective work clothing. 9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Crystalline Color: Yellowish Pungent Odor: Odor threshold: Not determined pH-value: Not applicable. Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: 170-196 °C (338-385 °F) 288 °C (550 °F) Not determined Not applicable Not determined Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Not determined Not determined Auto igniting: Not determined. Danger of explosion: Explosion limits: Lower: Upper: Product does not present an explosion hazard. Not determined Not determined Vapor pressure: Density at 20 °C (68 °F): Relative density Not applicable. 2.6 g/cm³ (21.697 lbs/gal) Not determined. Vapor density Not applicable Evaporation rate Solubility in / Miscibility with Not applicable. Water: Reacts with water forming hydrochloric acid (HCI) Partition coefficient (n-octanol/water): Not determined. Viscosity.

10 Stability and reactivity

dynamic:

kinematic. Other information

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.

Not applicable.

Not applicable. No further relevant information available.

(Contd. on page 4)

(Contd. of page 3)

Product name: Selenium (IV) chloride

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with water forming hydrochloric acid (HCl) Conditions to avoid No further relevant information available. Incompatible materials: No information known.

Hazardous decomposition products: Reacts with water forming hydrochloric acid (HCI)

11 Toxicological information

Information on toxicological effects

Acute toxicity: Toxic if inhaled. Toxic if swallowed.

Toxic if swallowed.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes severe skin burns.

Eye irritation or corrosion: Causes serious eye damage.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity:

EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.

NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.

IARC-3: Not classifiable as to carcinogenicity to humans.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure:

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure:
May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Selenium may cause amyotropic lateral sclerosis, bronchial irritation, gastrointestinal distress, vasopharyngeal irritation, garlic odor on breath and sweat, metallic taste, pallor, irritability, excessive fatigue, loss of fingernails and hair, pulmonary edema, anemia and weight loss.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxical effects:
Remark: Very toxic for aquatic organisms
Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper go

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Very toxic for aquatic organisms
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA

UN2923

UN proper shipping name DOT

Corrosive solids, toxic, n.o.s. (Selenium (IV) chloride) CORROSIVE SOLID, TOXIC, N.O.S. (Selenium (IV) chloride) IMDG, IATA

Transport hazard class(es) DOT





Label IMDG, IATA





8 Corrosive substances.

8 Corrosive substances. 8+6.1 8 (CT2) Corrosive substances 8+6.1

(Contd. on page 5)

Product name: Selenium (IV) chloride (Contd. of page 4) Environmental hazards: Environmentally hazardous substance, solid Warning: Corrosive substances F-A,S-B Special precautions for user EMS Number: Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": UN2923, Corrosive solids, toxic, n.o.s. (Selenium (IV) chloride), 8 (6.1), II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS06 GHS08

Signal word Danger Hazard statements

H301+H331 Toxic if swallowed or if inhaled.
H373 May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P260 Do not breatning dustriume/gas/mist/vapours/spray.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

SARA Section 313 (specific toxic chemical listings)

10026-03-6 Selenium (IV) chloride

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use:
For use only by technically qualified individuals.
This product contains selenium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO: The concerning the International Civil Aviation Organization
ICAO: The concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Instructions by the "International Civil Aviation Organization" (ICAO)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport das marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent

LISA