SAFETY DATA SHEET

Version 3.12 Revision Date 06/02/2016 Print Date 11/11/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : 4,4'-Methylene-bis(2-chloroaniline)

Product Number : 66681

Brand : Sigma-Aldrich Index-No. : 612-078-00-9

CAS-No. : 101-14-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Germ cell mutagenicity (Category 2), H341 Carcinogenicity (Category 1B), H350 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H302 Harmful if swallowed.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms: 4,4'-Diamino-3,3'-dichlorodiphenylmethane

Formula : $C_{13}H_{12}Cl_2N_2C_{13}H_{12}Cl_2N_2$

Molecular weight : 267.15 g/mol CAS-No. : 101-14-4 EC-No. : 202-918-9 Index-No. : 612-078-00-9

Hazardous components

Tidzai dodo componento			
Component	Classification	Concentration	
4,4'-Methylene bis(2-chloroaniline) Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)			
	Acute Tox. 4; Muta. 2; Carc.	<= 100 %	
	1B; Aquatic Acute 1; Aquatic		
	Chronic 1; H302, H341, H350,		
	H410		

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Sigma-Aldrich - 66681 Page 2 of 9

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
4,4'-Methylene bis(2-	101-14-4	TWA	0.01 ppm	USA. ACGIH Threshold Limit Values
chloroaniline)				(TLV)
	Remarks	Methemoglobinemia		
		Bladder cancer		
		Substances for which there is a Biological Exposure Index or Indices		
		(see BEI® section)		
		Suspected human carcinogen		
		Danger of cutaneous absorption		

Sigma-Aldrich - 66681 Page 3 of 9

TWA	0.010000 ppm	USA. ACGIH Threshold Limit Values (TLV)	
Methemoglobinemia Bladder cancer Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Suspected human carcinogen Danger of cutaneous absorption			
TWA	0.02 ppm 0.22 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
Skin notation			
TWA	0.003000 mg/m3	USA. NIOSH Recommended Exposure Limits	
Potential Occupational Carcinogen See Appendix A Potential for dermal absorption			
TWA	0.003 mg/m3	USA. NIOSH Recommended Exposure Limits	
Potential Occupational Carcinogen See Appendix A Potential for dermal absorption			
PEL	0.01 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Skin see Section	5215		

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
4,4'-Methylene bis(2-chloroaniline)	101-14-4	Total MBOCA		Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As soon as possible after exposure ceases)			
		Total MBOCA		Urine	ACGIH - Biological Exposure Indices (BEI)
		End of shift (As soon as possible after exposure ceases)			

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Sigma-Aldrich - 66681 Page 4 of 9

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: crystalline

Colour: light yellow

b) Odour No data available c) Odour Threshold No data available No data available d) pH

Melting point/freezing

point

Melting point/range: 102 - 107 °C (216 - 225 °F) - lit.

Initial boiling point and

boiling range

202 - 214 °C (396 - 417 °F) at 0.4 hPa (0.3 mmHg) - lit.

g) Flash point 113 °C (235 °F) - closed cup

h) Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower No data available

flammability or explosive limits

k) Vapour pressure No data available No data available Vapour density

1,440 kg/m3 at 20 °C (68 °F) m) Relative density

0.0138 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - slightly soluble n) Water solubility

Partition coefficient: n-

octanol/water

log Pow: 2.5 at 25 °C (77 °F)

p) Auto-ignition No data available

temperature

No data available

Decomposition temperature

No data available Viscosity r)

Sigma-Aldrich - 66681

s) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

Surface tension 73.3 mN/m at 20 °C (68 °F)

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong acids, Strong bases, Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), Hydrogen chloride gas

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 2,000 mg/kg

(OECD Test Guideline 423)

Inhalation: No data available

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

- Mouse

Result: Does not cause skin sensitisation.

(OECD Test Guideline 429)

Germ cell mutagenicity

In vitro tests showed mutagenic effects

Ames test

S. typhimurium

Result: positive

Mammal

Lungs

Result: positive

Rat - male

Sigma-Aldrich - 66681 Page 6 of 9

Result: positive

Carcinogenicity

Carcinogenicity - Rat - Oral hepatocellular carcinoma

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Possible human carcinogen

IARC: 1 - Group 1: Carcinogenic to humans (4,4'-Methylene bis(2-chloroaniline))

NTP: Reasonably anticipated to be a human carcinogen (4,4'-Methylene bis(2-chloroaniline))

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oryzias latipes - 0.606 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and

other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - 0.916 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae Growth inhibition ErC50 - Pseudokirchneriella subcapitata (algae) - > 0.189

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria Respiration inhibition EC50 - Sludge Treatment - > 100 mg/l - 3 h

(OECD Test Guideline 209)

12.2 Persistence and degradability

No data available

2.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Sigma-Aldrich - 66681 Page 7 of 9

12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substances, solid, n.o.s. (4,4'-Methylene bis(2-chloroaniline))

Reportable Quantity (RQ): 10 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (4,4'-Methylene bis(2-

chloroaniline)) Marine pollutant:yes

IATA

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (4,4'-Methylene bis(2-chloroaniline))

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

4,4'-Methylene bis(2-chloroaniline)

CAS-No. Revision Date
101-14-4
1993-04-24

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

4,4'-Methylene bis(2-chloroaniline)

CAS-No. Revision Date
101-14-4
1993-04-24

Pennsylvania Right To Know Components

4.4'-Methylene bis(2-chloroaniline)

CAS-No. Revision Date
101-14-4
1993-04-24

New Jersey Right To Know Components

CAS-No. Revision Date 4,4'-Methylene bis(2-chloroaniline) 101-14-4 1993-04-24

California Prop. 65 Components

WARNING! This product contains a chemical known to the CAS-No. Revision Date

Sigma-Aldrich - 66681 Page 8 of 9

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity
H302 Harmful if swallowed.

H341 Suspected of causing genetic defects.

H350 May cause cancer. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

HMIS Rating

Health hazard: 1
Chronic Health Hazard: *
Flammability: 1
Physical Hazard 0

NFPA Rating

Health hazard: 1
Fire Hazard: 1
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.12 Revision Date: 06/02/2016 Print Date: 11/11/2018

Sigma-Aldrich - 66681 Page 9 of 9