

# SAFETY DATA SHEET

# 1. Identification

Product identifier LITHIUM SILICATE, 99.5%

Other means of identification

Product code 1438

Synonyms LITHIUM METASILICATE

**Recommended use** professional, scientific and technical activities: other professional, scientific and technical activities

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Manufacturer** 

Company nameGFS Chemicals, Inc.AddressP.O. Box 245Powell, OH 43065

United States

**Telephone** Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Websitewww.gfschemicals.comE-mailservice@gfschemicals.com

Emergency phone Emergency Assistance

number

2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Chemtrec 800-424-9300

**Environmental hazards** Not classified. **OSHA defined hazards** Not classified.

**Label elements** 



Signal word Warning

**Hazard statement** Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

**Precautionary statement** 

**Prevention** Avoid breathing dust. Wash thoroughly after handling. Use only outdoors or in a well-ventilated

area. Wear eye protection/face protection. Wear protective gloves.

**Response** IF ON SKIN: Wash with plenty of soap and water. If inhaled: Remove person to fresh air and keep

comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or

doctor/physician if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before

reuse.

**Storage** Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** None.

Material name: LITHIUM SILICATE, 99.5%

# 3. Composition/information on ingredients

**Substances** 

1438 Version #: 01 Revision date: Issue date: April-18-2016 1 / 7

**CAS** number % **Chemical name** Common name and synonyms LITHIUM SILICATE LITHIUM METASILICATE 10102-24-6 100

## 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician if you feel unwell.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove Eye contact

contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

delayed

Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness and pain.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

**Indication of immediate** medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

**General information** If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media Use extinguishing agent suitable for type of surrounding fire. Water fog. Foam. Dry chemical

Do not use water jet as an extinguisher, as this will spread the fire.

powder. Carbon dioxide (CO2).

**Unsuitable extinguishing** 

media

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

**Special protective equipment** and precautions for

firefighters

Use water spray to cool unopened containers.

Fire fighting equipment/instructions

Specific methods **General fire hazards**  Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will sediment in water systems. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

# **Environmental precautions**

7. Handling and storage

Precautions for safe handling Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Wear

Avoid discharge into drains, water courses or onto the ground.

appropriate personal protective equipment. Observe good industrial hygiene practices.

Issue date: April-18-2016 2/7 1438 Version #: 01 Revision date:

Material name: LITHIUM SILICATE, 99.5%

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

**Occupational exposure limits** 

No exposure limits noted for ingredient(s).

**Biological limit values** 

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If material is

ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Eye wash facilities and

emergency shower must be available when handling this product.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits. Wear respirator if there is dust formation.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

**Physical state** Solid.

**Form** Crystalline powder.

White. Color Odor Odorless. **Odor threshold** Not available. Not available.

2193.8 °F (1201 °C) Melting point/freezing point

Initial boiling point and

boiling range

Not available.

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Not available. Vapor pressure Vapor density Not available. **Relative density** Not available.

Solubility(ies)

Solubility (water) Insoluble. Not available. **Partition coefficient** 

(n-octanol/water)

**Auto-ignition temperature** Not available.

3/7 1438 Version #: 01 Revision date: Issue date: April-18-2016

Material name: LITHIUM SILICATE, 99.5%

**Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Density2.52 g/cm3Explosive propertiesNot explosive.Molecular formulaLi2SiO3Molecular weight89.97 g/molOxidizing propertiesNot oxidizing.

Specific gravity 2.52

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

**Possibility of hazardous** 

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

May include oxides of silicon and lithium.

# 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** Dust may irritate respiratory system.

**Skin contact** Causes skin irritation.

**Eye contact** Causes serious eye irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness

and pain.

#### Information on toxicological effects

**Acute toxicity** May cause respiratory irritation.

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

# Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

**US OSHA Hazard Categories (1)** 

Not regulated.

**US OSHA Hazard Categories (10)** 

Not regulated.

**US OSHA Hazard Categories (2)** 

Not regulated.

**US OSHA Hazard Categories (3)** 

Not regulated.

**US OSHA Hazard Categories (4)** 

Not regulated.

**US OSHA Hazard Categories (5)** 

Not regulated.

**US OSHA Hazard Categories (6)** 

Not regulated.

**US OSHA Hazard Categories (7)** 

Not regulated.

Material name: LITHIUM SILICATE, 99.5%

1438 Version #: 01 Revision date: Issue date: April-18-2016 4 / 7

**US OSHA Hazard Categories (8)** 

Not regulated.

**US OSHA Hazard Categories (9)** 

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

May cause respiratory irritation.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential**No data available. **Mobility in soil**No data available.

**Other adverse effects**No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

**US OSHA Hazard Categories (1)** 

Not regulated.

**US OSHA Hazard Categories (2)** 

Not regulated.

1438 Version #: 01 Revision date: Issue date: April-18-2016 5 / 7

 ${\it Material\ name:\ LITHIUM\ SILICATE,\ 99.5\%}$ 

## **US OSHA Hazard Categories (3)**

Not regulated.

#### **US OSHA Hazard Categories (4)**

Not regulated.

#### **US OSHA Hazard Categories (5)**

Not regulated.

#### **US OSHA Hazard Categories (6)**

Not regulated.

#### **US OSHA Hazard Categories (7)**

Not regulated.

#### **US OSHA Hazard Categories (8)**

Not regulated.

#### **US OSHA Hazard Categories (9)**

Not regulated.

#### **US OSHA Hazard Categories (10)**

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### **SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312** No

**Hazardous chemical** 

#### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

### **US state regulations**

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

# **US. Massachusetts RTK - Substance List**

Not regulated.

# **US. New Jersey Worker and Community Right-to-Know Act**

Not listed.

#### **US. Pennsylvania Worker and Community Right-to-Know Law**

Not listed.

# **US. Rhode Island RTK**

Not regulated.

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

Material name: LITHIUM SILICATE, 99.5%

1438 Version #: 01 Revision date: Issue date: April-18-2016 6 / 7

Country(s) or regionInventory nameOn inventory (yes/no)\*JapanInventory of Existing and New Chemical Substances (ENCS)YesKoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical Substances (PICCS)No

# 16. Other information, including date of preparation or last revision

**Issue date** April-18-2016

Version # 01

United States & Puerto Rico

**Disclaimer** GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

Yes

sheet was written based on the best knowledge and experience currently available.

**Revision information** Product and Company Identification: Synonyms

Physical & Chemical Properties: Multiple Properties

Toxic Substances Control Act (TSCA) Inventory

GHS: Classification

Material name: LITHIUM SILICATE, 99.5%

1438 Version #: 01 Revision date: Issue date: April-18-2016 7 / 7

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).