

Creation Date 05-Oct-2010 Revision Date 20-Jan-2015 Revision Number 8

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identification

Product Description: <u>Thallium(I) nitrate</u>

Cat No. : 265590000; 265590250; 265591000

Synonyms Thallous Nitrate
CAS-No 10102-45-1
EC-No. 233-273-1
Molecular Formula N O3 TI

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

## 1.3. Details of the supplier of the safety data sheet

Company Acros Organics BVBA

Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

## CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Oxidizing solids Category 3

**Health hazards** 

Acute oral toxicity Category 2
Acute Inhalation Toxicity - Dusts and Mists Category 2
Specific target organ toxicity - (repeated exposure) Category 2

**Environmental hazards** 

Chronic aquatic toxicity Category 2

## Classification according to EU Directives 67/548/EEC or 1999/45/EC

Symbol(s) O - Oxidizing

T+ - Very toxic

N - Dangerous for the environment

**R-phrase(s)** R 8 - Contact with combustible material may cause fire

R33 - Danger of cumulative effects

Thallium(I) nitrate Revision Date 20-Jan-2015

R26/28 - Very toxic by inhalation and if swallowed

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

For the full text of the R-phrases and H-Statements mentioned in this Section, see Section 16.

#### 2.2. Label elements



#### Signal Word

#### **Danger**

#### **Hazard Statements**

- H272 May intensify fire; oxidizer
- H373 May cause damage to organs through prolonged or repeated exposure
- H330 Fatal if inhaled
- H411 Toxic to aquatic life with long lasting effects
- H300 Fatal if swallowed

#### **Precautionary Statements**

- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician
- P304 + P340 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
- P310 Immediately call a POISON CENTER or doctor/ physician
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P273 Avoid release to the environment
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking

#### 2.3. Other hazards

No information available

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

| Component           | CAS-No     | EC-No.            | Weight % | CLP Classification -<br>Regulation (EC) No<br>1272/2008   | DSD Classification -<br>67/548/EEC      |
|---------------------|------------|-------------------|----------|---|---|
| Thallium(I) nitrate | 10102-45-1 | EEC No. 233-273-1 | >95      | Acute Tox. 2 (H300) Acute Tox. 2 (H330) STOT RE 2 (H373) Aquatic Chronic 2 (H411) Ox. Sol. 3 (H272) | O; R8<br>T+; R26/28<br>R33<br>N; R51-53 |

For the full text of the R-phrases and H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

Thallium(I) nitrate Revision Date 20-Jan-2015

**Skin Contact**Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Ingestion** Do not induce vomiting. Call a physician or Poison Control Center immediately.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a

respiratory medical device. Immediate medical attention is required.

Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx).

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information. Avoid release to the environment. Collect spillage.

#### 6.3. Methods and material for containment and cleaning up

Keep combustibles (wood, paper, oil, etc) away from spilled material. Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

## 6.4. Reference to other sections

Thallium(I) nitrate Revision Date 20-Jan-2015

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment. Avoid dust formation. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Do not ingest. Keep away from clothing and other combustible materials.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials.

#### 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

List source(s): **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority.

| Component           | European Union | The United Kingdom              | France | Belgium | Spain             |
|---------------------|----------------|---------------------------------|--------|---------|-------------------|
| Thallium(I) nitrate |                | STEL: 0.3 mg/m3 15 min          |        |         | TWA / VLA-ED: 0.1 |
|                     |                | TWA: 0.1 mg/m <sup>3</sup> 8 hr |        |         | mg/m³ (8 horas)   |
|                     |                | Skin                            |        |         | Piel              |

| Component           | Italy | Germany | Portugal                           | The Netherlands | Finland |
|---------------------|-------|---------|------------------------------------|-----------------|---------|
| Thallium(I) nitrate |       |         | TWA: 0.1 mg/m <sup>3</sup> 8 horas |                 |         |
| 1                   |       |         | Pele                               |                 |         |

|   | Component           | Austria                          | Denmark | Switzerland                  | Poland | Norway                             |
|---|---------------------|----------------------------------|---------|------------------------------|--------|------------------------------------|
| I | Thallium(I) nitrate | MAK-KZW: 1 mg/m <sup>3</sup> 15  |         | Haut/Peau                    |        | TWA: 0.1 mg/m <sup>3</sup> 8 timer |
|   |                     | Minuten                          |         | TWA: 0.1 mg/m <sup>3</sup> 8 |        | Hud                                |
|   |                     | MAK-TMW: 0.1 mg/m <sup>3</sup> 8 |         | Stunden                      |        |                                    |
| L |                     | Stunden                          |         |                              |        |                                    |

| Component           | Bulgaria | Croatia | Ireland | Cyprus | Czech Republic |
|---------------------|----------|---------|---------|--------|----------------|
| Thallium(I) nitrate |          |         | Skin    |        |                |

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

#### **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) No information available

Thallium(I) nitrate Revision Date 20-Jan-2015

| Route of exposure | Acute effects (local) | Acute effects (systemic) | Chronic effects<br>(local) | Chronic effects (systemic) |
|-------------------|-----------------------|--------------------------|----------------------------|----------------------------|
| Oral              |                       | (0)0.00)                 | (iooai)                    | (cyclenno)                 |
| Dermal            |                       |                          |                            |                            |
| Inhalation        |                       |                          |                            |                            |

**Predicted No Effect Concentration** No information available. **(PNEC)** 

#### 8.2. Exposure controls

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

| Glove material Natural rubber Nitrile rubber Neoprene PVC | Breakthrough time<br>See manufacturers<br>recommendations | Glove thickness | EU standard<br>EN 374 | Glove comments<br>(minimum requirement) |
|---|---|-----------------|-----------------------|---|
|---|---|-----------------|-----------------------|---|

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

AppearanceWhitePhysical StateSolid

**Odor** Odorless

Odor Threshold No data available

Thallium(I) nitrate Revision Date 20-Jan-2015

No information available pН

Melting Point/Range 206 °C / 402.8 °F **Softening Point** No data available

Boiling Point/Range 433 °C / 811.4 °F @ 760 mmHg

Flash Point No information available Method - No information available Solid

**Evaporation Rate** Not applicable

Flammability (solid,gas) No information available

**Explosion Limits** No data available

No data available **Vapor Pressure** Vapor Density Not applicable

Specific Gravity / Density No data available **Bulk Density** No data available 95 g/L (20°C) Water Solubility

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

**Autoignition Temperature** Not applicable

450 °C **Decomposition Temperature** 

Not applicable **Viscosity** 

No information available **Explosive Properties** 

**Oxidizing Properties** Oxidizer

9.2. Other information

N O<sub>3</sub> TI **Molecular Formula** 266.38 **Molecular Weight** 

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

10.2. Chemical stability

Oxidizer: Contact with combustible/organic material may cause fire: Hygroscopic

Solid

Solid

10.3. Possibility of hazardous reactions

**Hazardous Polymerization** Hazardous polymerization does not occur.

Yes

**Hazardous Reactions** None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Combustible material. Avoid dust formation. Exposure

to moist air or water.

10.5. Incompatible materials

Strong oxidizing agents. Reducing agents. Strong acids. Strong reducing agents.

Combustible material.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx).

## **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on toxicological effects

**Product Information** 

(a) acute toxicity;

Category 2 Oral **Dermal** No data available Category 2 Inhalation

Thallium(I) nitrate Revision Date 20-Jan-2015

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

**Respiratory**Skin
No data available
No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; Category 2

Target Organs Liver, Kidney.

(j) aspiration hazard; Not applicable

Solid

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information

Symptoms / effects,both acute and No information available

delayed

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

Ecotoxicity effects Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. The product contains following substances which are hazardous for the

environment.

12.2. Persistence and degradability

**Persistence** Soluble in water, Persistence is unlikely, based on information available.

**Degradability** Not relevant for inorganic substances.

Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste

**treatment plant** water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

**12.4. Mobility in soil**The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB No data available for assessment.

assessment

12.6. Other adverse effects

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Persistent Organic Pollutant

Ozone Depletion Potential

This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Thallium(I) nitrate Revision Date 20-Jan-2015

13.1. Waste treatment methods

Waste from Residues / Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

**European Waste Catalogue (EWC)** 

According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

Other Information

Do not dispose of waste into sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

## **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

**14.1. UN number** UN2727

14.2. UN proper shipping name THALLIUM NITRATE

14.3. Transport hazard class(es)6.1Subsidiary Hazard Class5.114.4. Packing groupII

ADR

**14.1. UN number** UN2727

14.2. UN proper shipping name THALLIUM NITRATE

14.3. Transport hazard class(es)6.1Subsidiary Hazard Class5.114.4. Packing groupII

<u>IATA</u>

<u>14.1. UN number</u> UN2727

14.2. UN proper shipping name THALLIUM NITRATE

14.3. Transport hazard class(es) 6.1 Subsidiary Hazard Class 5.1 14.4. Packing group II

<u>14.5. Environmental hazards</u> Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods

Annex II of MARPOL73/78 and the

IBC Code

## **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

| Component           | EINECS    | ELINCS | NLP | TSCA | DSL | NDSL | PICCS | ENCS | IECSC | AICS | KECL |
|---------------------|-----------|--------|-----|------|-----|------|-------|------|-------|------|------|
| Thallium(I) nitrate | 233-273-1 | -      |     | Х    | -   | Х    | Χ     | Χ    | Х     | Χ    | Χ    |

## **National Regulations**

| Component | Germany - Water Classification (VwVwS) | Germany - TA-Luft Class |
|-----------|--|-------------------------|

Thallium(I) nitrate Revision Date 20-Jan-2015

| Thallium(I) nitrate WGK 2 |
|---------------------------|
|---------------------------|

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## **SECTION 16: OTHER INFORMATION**

#### Full text of R-phrases referred to under sections 2 and 3

R 8 - Contact with combustible material may cause fire

R33 - Danger of cumulative effects

R26/28 - Very toxic by inhalation and if swallowed

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

## Full text of H-Statements referred to under sections 2 and 3

H272 - May intensify fire; oxidizer

H300 - Fatal if swallowed

H330 - Fatal if inhaled

H411 - Toxic to aquatic life with long lasting effects

H373 - May cause damage to organs through prolonged or repeated exposure

#### Legend

Substances List

**CAS** - Chemical Abstracts Service

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

IARC - International Agency for Research on Cancer

NZIoC - New Zealand Inventory of Chemicals

PNEC - Predicted No Effect Concentration

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

EC50 - Effective Concentration 50%

TWA - Time Weighted Average

LD50 - Lethal Dose 50%

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

 $\ensuremath{\textbf{PBT}}$  - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate

VOC - Volatile Organic Compounds

# Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical incident response training.

Creation Date05-Oct-2010Revision Date20-Jan-2015Revision SummaryUpdate to Format.

## This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage,

Thallium(I) nitrate Revision Date 20-Jan-2015

transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**