

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 05/05/2010

#### 1 Identification

Product identifier

Product name: Lead molybdenum oxide

Stock number: A10576 CAS Number:

10190-55-3 EC number: 233-459-2 Index number: 082-001-00-6

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

## Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS08 Health hazard

Repr. 1A H360 May damage fertility or the unborn child.

STOT RE 2 H373 May cause damage to the reproductive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Hazards not otherwise classified No information known.

## Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





GHS07 GHS08

# Signal word Danger Hazard statements

H302+H332 Harmful if swallowed or if inhaled.
H360 May damage fertility or the unborn child.
H373 May cause damage to the reproductive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Precautionary statements
P273 Avoid release to the environment.
P201 Obtain special instructions before use.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification
P204 Very toxic material causing other toxic effects.

D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



ALTH I Health (acute effects) = 1
RE I Flammability = 0
RACTIVITY I Physical Hazard = 0

Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable

#### 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description:
10190-55-3 Lead molybdenum oxide Identification number(s):
50 number 232,450.2

EC number: 233-459-2 Index number: 082-001-00-6

USA

#### Product name: Lead molybdenum oxide

(Contd. of page 1)

#### 4 First-aid measures

#### Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor

Meet important symptoms and effects, both acute and delayed No further relevant information are

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Lead oxide fume
Metal oxide fume
Metal oxide fume
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Ensure adequate vertilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

#### 7 Handling and storage

Handling

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: No information known.

Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters
Components with limit values that require monitoring at the workplace:

```
Molybdenum and compounds (as Mo)
```

mg/m3
ACGIH TLV 10(Mo)

ACGIH TLV 10(Mo)
Austria MAK 15(Mo)
Denmark TWA 10(Mo)
Finland TWA 5(Mo)
Germany MAK 15(Mo)
Korea TLV 10(Mo)
Poland TWA 4(Mo); 10(Mo)-STEL
Sweden NGV 10(Mo) (total dust); 5(Mo)(resp. dust)
Switzerland MAK-W 10(Mo)
United Kingdom TWA 10(Mo); 20(Mo)-STEL
OSHA PEL 15(Mo)(total dust)

Lead, elemental, and inorganic compounds (as Pb)
mg(Pb)/m3
ACGIH TLV 0.05 Confirmed animal carcinogen
Austria MAK 0.1
Denmark TWA 0.15
Denmark TWA 0.1 0.15 0.1 0.1 0.1 Definiark TWA Germany MAK Japan OEL Netherlands TWA Norway TWA Poland TWA 0.1 0.15 0.05 0.05

Switzerland MAK-W 0.1 United Kingdom TWA 0. Finland TWA 0.1

(Contd. on page 3)

(Contd. of page 2)

#### Product name: Lead molybdenum oxide

France TWA

Hungary STEL 0.04 Sweden TWA 0.1 (total dust) 0.05 (resp. dust) USA PEL 0.05

Additional information: No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.
Breathing equipment:
Use suitable respirator when high concentrations are present.
Refer to 29CFR1910.1025 for regulations on respiratory protection required during exposure to lead and lead compounds.
Protection of hands:

Protection of hands: Impervious gloves

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses
Body protection: Protective work clothing.

#### 9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Powder Color: White

Odor: Odor threshold: Odorless Not determined.

pH-value:

Change in condition

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Not determined Not determined Not determined

Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:

Not applicable Not determined Not determined Not determined Not determined. Product does not present an explosion hazard.

Not applicable.

Danger of explosion: Explosion limits: Lower: Upper: Not determined Not determined

Not applicable. 6.7 g/cm³ (55.912 lbs/gal) Not determined.

Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density

Not applicable.

Evaporation rate Solubility in / Miscibility with

Not applicable.

Water: Partition coefficient (n-octanol/water): Not determined.

Insoluble

Viscosity: dynamic:

Not applicable.

kinematic: Other information

Not applicable. No further relevant information available.

## 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Conditions to be avoided. Decomposition Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available.

Incompatible materials: No information known.

Hazardous decomposition products:

Lead oxide fume Metal oxide fume

#### 11 Toxicological information

Information on toxicological effects

Acute toxicity:
Harmful if inhaled.
Harmful if swallowed.
LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinggenicity:

Germ cell mutagenicity: No effects known.

Carcinogenicity:

EPA-B2: Probable human carcinogen, sufficient evidence from animal studies; inadequate evidence or no data from epidemiologic studies.

IARC-2B: Possibly carcinogenic to humans: limited evidence in humans in the absence of sufficient evidence in experimental animals.

ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.

Reproductive toxicity: May damage fertility or the unborn child.

(Contd. on page USA)

(Contd. on page 4)

#### Product name: Lead molybdenum oxide

(Contd. of page 3)

Specific target organ system toxicity - repeated exposure:
May cause damage to the reproductive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Acute molybdenum poisoning may cause severe gastrointestinal irritation, diarrhea, coma and death from cardiac failure.

Chronic molybdenum poisoning in laboratory animals has caused loss of weight, anorexia, anemia, deficient lactation, male sterility, osteoporosis and bone joint abnormalities

Lead and lead compounds may cause abdominal pain, diarrhea, loss of appetite, metallic taste, nausea, vomiting, lassitude, insomnia, muscle weakness, joint and muscle pain, irritability, headache and dizziness. Red blood cells may be damaged resulting in anemia. Gastritis and injury to the kidneys, liver, male gonads, and central nervous system may also occur.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

#### 12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Feotoxical effects:

Ecotoxical effects: Remark: Very toxic for aquatic organisms

Additional ecological information: General notes:

General notes:

Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
May cause long lasting harmful effects to aquatic life.
Avoid transfer into the environment.
Very toxic for aquatic organisms
Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable

vPvB: Not applicable.

Other adverse effects No further relevant information available.

### 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information	
UN-Number DOT, IMDG, IATA	UN3077
UN proper shipping name DOT IMDG IATA	Environmentally hazardous substances, solid, n.o.s. (Lead molybdenum oxide) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead molybdenum oxide), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead molybdenum oxide)
Transport hazard class(es) DOT, IMDG, IATA	

9 Miscellaneous dangerous substances and articles.



Class Label	9 (M7) Miscellaneous dangerous substances and articles 9
Packing group DOT, IMDG, IATA	III
Environmental hazards: Marine pollutant (IMDG): Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)

Symbol (fish and tree) Special marking (IATÁ): Special precautions for user EMS Number: Warning: Miscellaneous dangerous substances and articles

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT Marine Pollutant (DOT):

Remarks:

UN3077, Environmentally hazardous substances, solid, n.o.s. (Lead molybdenum oxide), 9, III UN "Model Regulation":

## 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

(Contd. on page 5)

(Contd. of page 4)

#### Product name: Lead molybdenum oxide

#### Hazard pictograms





GHS07 GHS08

Signal word Danger

H302+H332 Harmful if swallowed or if inhaled.
H360 May damage fertility or the unborn child.
H373 May cause damage to the reproductive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Precautionary statements

P273 Avoid release to the environment.

P273 Avoid release to the environment.
P201 Obtain special instructions before use.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

This product contains a chemical known to the state of California to cause cancer and/or reproductive toxicity.

### SARA Section 313 (specific toxic chemical listings)

10190-55-3 Lead molybdenum oxide

## California Proposition 65

Prop 65 - Chemicals known to cause cancer 10190-55-3 Lead molybdenum oxide

Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use:

For use only by technically qualified individuals.

This substance is subject to a Significant New Use Rule (SNUR) promulgated under Section 5(a)(2) of the Toxic Substances Control Act (TSCA). See 40 CFR 721. This product is being sold for research and development use.

This product contains lead and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations Refer to 29CFR1910.1025 for regulations concerning lead and lead compounds.

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization (ICAO): International Civil Aviation Organization (ICAO): International Civil Aviation Organization (ICAO): ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Martimer Code for Dangerous Goods

DOT: US Department of Transport Association

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Information System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent

VPUB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

NP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)