

1 Identification

Product identifier

Product name: Lithium vanadium oxide

Stock number: 39358

CAS Number:

15060-59-0

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS06

Signal word

Danger

Hazard statements

H302 Harmful if swallowed.

H331 Toxic if inhaled.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects



Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH 2 Health (acute effects) = 2

FIRE 0 Flammability = 0

REACTIVITY 1 Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description:

15060-59-0 Lithium vanadium oxide

4 First-aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Product name: Lithium vanadium oxide													
Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available. (Contd. of page 1)													
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Metal oxide fume Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.													
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.													
7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: No information known. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.													
8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Safety glasses Body protection: Protective work clothing.													
9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: <table><tr><td>Form:</td><td>Powder</td></tr><tr><td>Color:</td><td>Yellow</td></tr><tr><td>Odor:</td><td>Not determined</td></tr><tr><td>Odor threshold:</td><td>Not determined.</td></tr></table> pH-value: Not applicable. Change in condition <table><tr><td>Melting point/Melting range:</td><td>Not determined</td></tr><tr><td>Boiling point/Boiling range:</td><td>Not determined</td></tr></table>		Form:	Powder	Color:	Yellow	Odor:	Not determined	Odor threshold:	Not determined.	Melting point/Melting range:	Not determined	Boiling point/Boiling range:	Not determined
Form:	Powder												
Color:	Yellow												
Odor:	Not determined												
Odor threshold:	Not determined.												
Melting point/Melting range:	Not determined												
Boiling point/Boiling range:	Not determined												
(Contd. on page 3) USA													

Product name: **Lithium vanadium oxide**

(Contd. of page 2)

Sublimation temperature / start:	Not determined
Flash point:	Not applicable
Flammability (solid, gaseous)	Not determined.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not applicable.
Density:	Not determined
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Soluble
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions No dangerous reactions known
Conditions to avoid No further relevant information available.
Incompatible materials:
None known.
No information known.
Hazardous decomposition products: Metal oxide fume

11 Toxicological information

Information on toxicological effects
Acute toxicity:
Harmful if inhaled.
Harmful if swallowed.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Causes serious eye irritation.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: May cause respiratory irritation.
Aspiration hazard: No effects known.
Subacute to chronic toxicity:
Large amounts of lithium compounds may cause vomiting, diarrhea, ataxia, intestinal irritation, kidney injury, central nervous system depression and a drop in blood pressure. Central nervous system effects may include slurred speech, blurred vision, dizziness, sensory loss, convulsions and stupor. Chronic intake may cause neuromuscular effects such as tremor, ataxia, weakness, clonus and hyperactive reflexes. Lithium can cause kidney damage, gastrointestinal disturbances, fatigue, dehydration, weight loss, dermatological effects and thyroid damage. Lithium ion has shown teratogenic effects in rats and mice.
Vanadium compounds act chiefly as an irritant to the eyes and respiratory tract. Exposure may cause conjunctivitis, rhinitis and reversible irritation of the respiratory tract. More severe cases may cause bronchitis, bronchospasms and asthma like disease. May cause polycythemia, red blood cell destruction and anemia, albuminuria and hematuria, gastrointestinal disorders, nervous complaints and severe cough.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.
Avoid transfer into the environment.
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods
Recommendation Consult state, local or national regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number DOT, IMDG, IATA	UN3285
--	--------

(Contd. on page 4)
USA

Product name: *Lithium vanadium oxide*

(Contd. of page 3)

UN proper shipping name

DOT

IMDG, IATA

Vanadium compound, n.o.s. (Lithium vanadium oxide)

VANADIUM COMPOUND, N.O.S. (Lithium vanadium oxide)

Transport hazard class(es)

DOT



Class

Label

Class

Label

IMDG, IATA



Class

Label

6.1 Toxic substances.

6.1

6.1 (T5) Toxic substances

6.1

6.1 Toxic substances.

6.1

Packing group

DOT, IMDG, IATA

III

Environmental hazards:

Not applicable.

Special precautions for user

Warning: Toxic substances

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Marine Pollutant (DOT):

No

UN "Model Regulation":

UN3285, Vanadium compound, n.o.s. (Lithium vanadium oxide), 6.1, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS06

Signal word Danger

Hazard statements

H302 Harmful if swallowed.

H331 Toxic if inhaled.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

15060-59-0 Lithium vanadium oxide

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Date of preparation / last revision 11/24/2015 / -

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 5)
USA

Product name: Lithium vanadium oxide	
WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent vPvB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)	(Contd. of page 4) USA