# SIGMA-ALDRICH

# **Material Safety Data Sheet**

Version 3.0 Revision Date 08/20/2009 Print Date 07/15/2010

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Methylamine

Product Number : 295531 Brand : Aldrich

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +18003255832 Fax : +18003255052 Emergency Phone # : (314) 776-6555

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Monomethylamine

Formula : CH<sub>5</sub>N Molecular Weight : 31.06 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
mono-Methylamine			
74-89-5	200-820-0	612-001-01-6	-

# 3. HAZARDS IDENTIFICATION

# **Emergency Overview**

### **OSHA Hazards**

Flammable Gas, Compressed Gas, Toxic by inhalation., Toxic by ingestion, Corrosive

# Other hazards which do not result in classification

Lachrymator.

### **HMIS Classification**

Health Hazard: 3 Flammability: 4 Physical hazards: 3

**NFPA Rating** 

Health Hazard: 3 Fire: 4 Reactivity Hazard: 0

# **Potential Health Effects**

**Inhalation** Toxic if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

**Skin** May be harmful if absorbed through skin. Causes skin burns.

**Eyes** Causes eye burns.

**Ingestion** Toxic if swallowed. Causes burns.

### 4. FIRST AID MEASURES

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Continue rinsing eyes during transport to hospital. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 5. FIRE-FIGHTING MEASURES

# Flammable properties

Flash point < -30 °C (< -22 °F) - closed cup

Ignition temperature 430 °C (806 °F)

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

## **Further information**

Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

# **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### Methods for cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

### 7. HANDLING AND STORAGE

### Handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment.

### Storage

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis	
mono- Methylamine	74-89-5	TWA	5 ppm	2007-01-01	USA. ACGIH Threshold Limit Values (TLV)	
Remarks	Eye, skin, & Upper Respiratory Tract irritation					
		STEL	15 ppm	2007-01-01	USA. ACGIH Threshold Limit Values (TLV)	
	Eye, skin, & Upper Respiratory Tract irritation					
		TWA	10 ppm 12 mg/m3	1989-01-19	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
		TWA	10 ppm 12 mg/m3	1997-08-04	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
	The value in mg/m3 is approximate.					

### Personal protective equipment

# Respiratory protection

Respiratory protection is not required. Where protection is desired, use multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## **Hand protection**

Handle with gloves.

### Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum).

# Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

# Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# **Appearance**

Form Compressed gas

Colour colourless

Safety data

pH 14 at 100 g/l at 20 °C (68 °F)

Melting point -93 °C (-135 °F) - lit.

Aldrich - 295531 Sigma-Aldrich Corporation www.sigma-aldrich.com

Boiling point -6.3 °C (20.7 °F) - lit.

Flash point < -30 °C (< -22 °F) - closed cup

Ignition temperature 430 °C (806 °F)

Lower explosion limit 4.9 %(V)
Upper explosion limit 20.8 %(V)

Vapour pressure 1,861.0 hPa (1,395.9 mmHg) at 20 °C (68 °F)

Density 0.7 g/mL at 20 °C (68 °F)

Water solubility no data available Partition coefficient: log Pow: -0.713

n-octanol/water

Relative vapour 1.07

density - (Air = 1.0)

# 10. STABILITY AND REACTIVITY

### Storage stability

Stable under recommended storage conditions.

### Conditions to avoid

Heat, flames and sparks.

### Materials to avoid

acids, Acid chlorides, Acid anhydrides, Oxidizing agents, Chloroformates, Phosphorus halides

### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

### 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

LD50 Oral - rat - 100 mg/kg

LC50 Inhalation - mouse - 2 h - 2,400 mg/m3

## Irritation and corrosion

Skin - rabbit - Severe skin irritation

### **Sensitisation**

no data available

# Chronic exposure

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by OSHA.

### **Potential Health Effects**

**Inhalation** Toxic if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

**Skin** May be harmful if absorbed through skin. Causes skin burns.

**Eyes** Causes eye burns.

**Ingestion** Toxic if swallowed. Causes burns.

Additional Information RTECS: PF6300000

### 12. ECOLOGICAL INFORMATION

# Elimination information (persistence and degradability)

no data available

## **Ecotoxicity effects**

no data available

# Further information on ecology

no data available

### 13. DISPOSAL CONSIDERATIONS

### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

DOT (US)

UN-Number: 1061 Class: 2.1

Proper shipping name: Methylamine, anhydrous

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN-Number: 1061 Class: 2.1 EMS-No: F-D, S-U

Proper shipping name: METHYLAMINE, ANHYDROUS

Marine pollutant: No

**IATA** 

UN-Number: 1061 Class: 2.1

Proper shipping name: Methylamine, anhydrous IATA Passenger: Not permitted for transport

# 15. REGULATORY INFORMATION

### **OSHA Hazards**

Flammable Gas, Compressed Gas, Toxic by inhalation., Toxic by ingestion, Corrosive

#### **DSL Status**

All components of this product are on the Canadian DSL list.

# **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Fire Hazard, Sudden Release of Pressure Hazard, Acute Health Hazard

### **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
mono-Methylamine	74-89-5	2007-03-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
mono-Methylamine	74-89-5	2007-03-01
New Jersey Right To Know Components		
	CAS-No.	Revision Date
mono-Methylamine	74-89-5	2007-03-01

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

# **16. OTHER INFORMATION**

### **Further information**

Copyright 2009 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.