Page 1/5 Printing date 08/11/2016 Revision date 08/10/2016

1 Identification

Product identifier

Product name: Benzenesulfonyl hydrazide

Stock number: B23971

CAS Number: 80-17-1 EC number:

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.walfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Self-react. CD H242 Heating may cause a fire. Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS02

Signal word Danger Hazard statements H242 Heating may cause a fire.

H242 Heating may cause a tire.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P220 Keep/Store away from clothing/combustible materials.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P2370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
P411 Store at temperatures not exceeding 194°F.
P420 Store away from other materials.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/ii

P501 Dispose of contents/container in accordance with local/regional/national/international regulations. **WHMIS classification**

B4 - Flammable solid



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 1 Flammability = 2 Physical Hazard = 2

Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 80-17-1 Benzenesulfonyl hydrazide Identification number(s):

EC number: 201-255-2

4 First-aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

Page 2/5 Printing date 08/11/2016 Revision date 08/10/2016

(Contd. of page 1)

Product name: Benzenesulfonyl hydrazide

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment. Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide Sulfur oxides (SOx) Nitrogen oxides (NOx) Advice for firefighters

Protective equipment: Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up: Keep away from ignition sources.

Prevention of secondary hazards: No special measures required.

Reference to other sections.

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Precautions for sare nandling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility:

Store away from strong bases.

Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. **Additional information:** No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Maintain an ergonomically appropriate working environment

Wash names before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

| Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection of hands: | Protection

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) Not determined

Eye protection: Safety glasses Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

pH-value:

Powder

Not applicable.

Odor: Not determined Odor threshold: Not determined

Change in condition

101-105 °C (214-221 °F) Melting point/Melting range: Boiling point/Boiling range:

Not determined

Page 3/5 Printing date 08/11/2016 Revision date 08/10/2016

Product name: Benzenesulfonyl hydrazide

	(Contd. of page 2)
Sublimation temperature / start:	Not determined
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not applicable Not determined. Not determined 110°C (230°F) Not determined.
Danger of explosion:	Not determined.
Explosion limits: Lower:	Not determined
Upper: Vapor pressure:	Not determined Not applicable.
Density:	Not applicable. Not determined
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate Solubility in / Miscibility with	Not applicable.
Water:	Slightly soluble
Partition coefficient (n-octanol/water): Viscosity:	Not determined.
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity Risk of explosion if heated under confinement.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Avoid temperatures above 40 °C.
Possibility of hazardous reactions

Exothermic decomposition with gas evolution: Onset temperature 110 °C. Dangerous pressure may develop.

Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Oxidizing agents Bases

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides Sulfur oxides (SOx)

11 Toxicological information

Information on toxicological effects

Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: May cause irritation

Skill Initiation or corrosion: May cause initiation
Eye irritation or corrosion: May cause irritation
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.

Additional ecological information:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA UN3226

UN proper shipping name

IMDG, IATA

Self-reactive solid type D (benzene sulphohydrazide) SELF-REACTIVE SOLID TYPE D (benzene sulphohydrazide)

Safety Data Sheet acc. to OSHA HCS

Page 4/5 Printing date 08/11/2016 Revision date 08/10/2016

Product name: Benzenesulfonyl hydrazide (Contd. of page 3) Transport hazard class(es) DOT Class Label 4.1 Flammable solids, self-reactive substances and solid desensitised explosives. 4.1 (SR1) Flammable solids, self-reactive substances and solid desensitised explosives Class I ahel ĪMDG, IATA Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives. Label Packing group ĪMDG, IATA Not applicable Environmental hazards: Not applicable. Special precautions for user Warning: Flammable solids, self-reactive substances and solid desensitised explosives F-J,S-G EMS Number: Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information:

No

UN3226, Self-reactive solid type D (benzene sulphohydrazide), 4.1

15 Regulatory information

Marine Pollutant (DOT):

UN "Model Regulation":

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



DOT

GHS02

Signal word Danger

Hazard statements

H242 Heating may cause a fire. Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P220 Keep/Store away from clothing/combustible materials.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P234 Keep only in original container.
P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
Store at temperatures not exceeding 194°F.

P420 Store away from other materials.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).

All components of this product are listed on the Canadian Domestic Substance SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the

market and use must be observed. Substance is not liste

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department Date of preparation / last revision 08/11/2016 / -

Date of preparation / last revision 08/11/2016'/ Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport association
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)

Safety Data Sheet acc. to OSHA HCS

Page 5/5 Printing date 08/11/2016 Revision date 08/10/2016

Product name: Benzenesulfonyl hydrazide

WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent vPvB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Salety and Health Administration (USA) NTP: National Toxicology Program (USA) ARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Self-react. CD: Self-Reactive Substances and Mixtures, Types C, D

(Contd. of page 4)

USA